

Publikationen

PD Dr. med. Nicolas Attigah

Leitender Arzt, Klinik für Viszeral-, Thorax- und Gefässchirurgie, Stadtspital Triemli

Originalarbeiten

Erst- und Letztautorschaften

Hybridoperationssaal vs. konventioneller Operationssaal. Betriebswirtschaftliche Gegenüberstellung in der Gefäßchirurgie am Beispiel der endovaskulären Aneurysmachirurgie

[Hybrid-operating rooms versus conventional operating rooms with mobile C-arm: Economic considerations in endovascular aortic repair (EVAR) of abdominal aortic aneurysms (AAA)]

Attigah N, Demirel S, Hakimi M, Bruijnen H, Schöffski O, Müller A, Geis U, Böckler D

Der Chirurg 2017 88(7): 587-594

Xenopericardial self-made tube grafts in infectious vascular reconstructions: Preliminary results of an easy and ready to use surgical approach.

Zientara A, Schwegler I, Dzemali O, Bruijnen H, Peters AS, **Attigah N**

Vascular 2016 24(6): 621-627

The role of unfractionated heparin for the antiaggregatory effect of aspirin in patients undergoing carotid endarterectomy: Results of an observational clinical study.

Brenner T, Schmitt FC, Demirel S, Salgado E, de la Torre JA, Göring M, Bruckner T, Böckler D, Weigand MA, Hofer S, **Attigah N** (geteilte Letztautorschaft mit Hofer, S)

Vascular 2016 25(1): 19-27

Effect of superficial cervical plexus block on baroreceptor sensitivity in patients undergoing carotid endarterectomy.

Demirel S, de la Torre JA, Bruijnen H, Martin E, Popp E, Böckler D, **Attigah N**

J Cardiothoracic Vasc Anesth 2015 30:309-316

Radiation exposure to eye lens and operator hands during endovascular procedures in hybrid operating rooms.

Attigah N, Oikonomou K, Hinz U, Knoch T, Demirel S, Verhoeven E, Böckler D

J Vasc Surg 2016 63(1):198-203

Cross-flow determination by transcranial Doppler predicts clamping ischemia in patients undergoing carotid endarterectomy.

Attigah N, Demirel S, Ringleb, Hinz U, Hyhlik-Dürr A, Böckler D

J Cardiovasc Surg (Torino) 2015 56:417-422

Eversion carotid endarterectomy is associated with decreased baroreceptor sensitivity compared to conventional technique.

Demirel S, Macek L, Bruijnen H, Hakimi M, Böckler D, **Attigah N**

Eur J Vasc Endovasc Surg 2012; 44:1-8

Changes in baroreceptor sensitivity after eversion endarterectomy.

Demirel S, **Attigah N**, Macek L, Bruijnen H, Hakimi M, Böckler D

J Vasc Surg 2012; 56: 324-333 (geteilte Erstautorschaft mit Demirel S)

Assessment of patients' satisfaction in carotid surgery under local anaesthesia by psychometrical Testing- A Prospective Cohort Study.

Attigah N, Kutter J, Demirel S, Hakimi M, Hinz U, Motsch J, Böckler D

Eur J Vasc Endovasc Surg 2011; 41(1):76-82

Postoperative neurological deficit after carotid endarterectomy: a mid-term outcome analysis.

Attigah N, Kulkens S, Ringleb P, Martin J, Allenberg JR, Jenetzky E, Böckler D

Cerebrovasc Dis 2010; 30(3): 297-301

Redo surgery or carotid stenting for restenosis after carotid endarterectomy: results of two different treatment strategies*.

Attigah N, Kulkens S, Deyle C, Ringleb P, Hartmann M, Geisbüsch P, Böckler D

Ann Vasc Surg 2010; 24(2): 190-195

Surgical therapy of extracranial carotid artery aneurysm: long-term results over a 24-year period.

Attigah N, Kulkens S, Zausig N, Hansmann J, Ringleb P, Hakimi M, Eckstein HH, Allenberg JR, Böckler D

Eur J Vasc Endovasc Surg 2009; 37(2):127-133

High secondary failure rate of rebanding after failed gastric banding.

Müller MK, **Attigah N***, Wildi S, Hahnloser D, Hauser R, Clavien PA, Weber M

Surg Endosc 2008; 22: 448-453 (*geteilte Erstautorschaft)

Co-Autorschaften

Off-label use of thoracic endovascular stent grafts to simplify difficult resections and procedures in general thoracic surgery.

Walgram T, **Attigah N**, Schwegler I, Weber M, Dzemali O, Berthold C, Wagnetz D, Carboni GL

Interact Cardiovasc Thorac Surg. 2017 Nov 22. doi: 10.1093/icvts/ivx364. [Epub ahead of print]

Outcome of carotid artery stenting in the hands of vascular surgeons.

Wieker CM, Demirel S, **Attigah N**, Hakimi M, Hinz U, Böcker D

Langenbecks Arch Surg 2017 402(5): 805-810

Comparison of gadofosveset (Vasovist®) with gadobenate dimeglumine (Multihance t®)-enhanced MR angiography for high-grade carotid artery stenosis.

Armateifio E, Essig M, Böckler D, **Attigah N**, Schuster L, Demirel S

J Neuroradiol 2015, 42: 236-244

Stenting versus endarterectomy for restenosis following prior ipsilateral carotid endarterectomy: an individual patient data metaanalysis.

Fokkema M, Vrijenhoek Je, Den Ruijter HM, Groenwold RH, Schermerhorn ML, Bots ML, Pasterkamp G, Moll FL, De Borst GJ, **TREAT CARE Study Group**

Ann Surg 2015; 261: 598-604

The role of atropine in carotid stenting of recurrent stenosis after eversion endarterectomy.

Demirel S, **Attigah N**, Bruijnen H, Wieker C, Böckler D

J Vasc Surg 2015, 61: 112-118

Perioperative blood pressure alterations after eversion and conventional carotid endarterectomy sustain in the midterm.

Demirel S, **Attigah N**, Bruijnen H, Hakimi M, Burgmer B, Böckler D

Langenbeck's Arch Surg 2013, 398: 303-312

Comparison of renin and catecholamine release in patients undergoing eversion or conventional carotid endarterectomy.

Demirel S, Macek L, **Attigah N**, Bruijnen H, Hakimi M, Able T, Böckler D

J Vasc Surg 2012, 56: 324-333

Quantitative high-field diffusion tensor imaging of cerebral white matter in asymptomatic high-grade internal carotid artery stenosis.

Herweh C, **Attigah N**, Nagel S, Demirel S, Ringleb PA, Böckler D, Bendszus M

Eur Neurol 2012, 67: 246-251

Multicenter experience on eversion versus conventional carotid endarterectomy in symptomatic carotid artery stenosis: observations from the Stent-Protected Angioplasty Versus Carotid endarterectomy (SPACE-1) trial.

Demirel S, **Attigah N**, Bruijnen H, Ringleb P, Eckstein HH, Fraedrich G, Böckler D

Stroke 2012, 43:1865-1871

Altered in-stent hemodynamics may cause erroneous upgrading of moderate carotid artery restenosis when evaluated by duplex ultrasound.

Hakimi M, Knez P, Lippert M, **Attigah N**, Nelson K, Laub T, Böckler D, Schmitz-Rixen T, Schmandra T

J Vasc Surg 2012 56: 1403-1408

Total vs hemi-aortic arch transposition for hybrid aortic arch repair.

Kotelis D, Geisbüsch P, **Attigah N**, Hinz U, Hyhlik-Dürr A, Böckler D

J Vasc Surg 2011, 54: 1181-1186

Long-term results of distal origin bypass after prior femoro-popliteal angioplasty.

Demirel S, Winter C, Bruijnen H, Böckler D, **Attigah N**, Gamstätter G

Ann Vasc Surg 2010 24(8): 1024-1033

Endografting in the aortic arch – does the proximal landing zone influence outcome?

Geisbüsch P, Kotelis D, **Attigah N**, Hyhlik-Dürr A, Böckler D

Eur J Vasc Endovasc Surg 2010; 39(6):693-699

Longterm results after surgical thrombectomy and simultaneous stenting for symptomatic iliofemoral venous thrombosis.

Hölper P, Kotelis D, **Attigah N**, Hyhlik-Dürr A, Böckler D

Eur J Vasc Endovasc Surg 2010; 39(3): 349-355

Late outcome after surgical management of carotid body tumors from a 20-year single center experience.

Kotelis D, Rizos T, Geisbüsch P, **Attigah N**, Ringleb P, Hacke W, Allenberg JR, Böckler D
Langenbecks Arch Surg 2009 Mar, 394(2); 339-344

Evaluation of treatment and long-term follow-up in patients with hepatic alveolar echinococcosis.

Kadry Z, Renner EC, Bachmann LM, **Attigah N**, Renner EL, Ammann RW, Clavien PA
Br J Surg 2005 Sep; 92(9): 1110-1116

Evaluation of F18-deoxyglucose positron emission tomography (FDG-PET) to assess the nature of neurogenic tumours.

Cardona S, Schwarzbach M, Hinz U, Dimitrakopolou-Strauss, **Attigah N**, Mechtersheimer G, Lehnert T
Eur J Surg Oncol 2003 Aug; 29(6): 536-541

Regulation of bodytemperature and neuroprotection by endogenous interleukin-6 in cerebral ischemia.

Herrman o, Tarabin V, Suzuki S, **Attigah N**, Coserea I, Schneider A, Vogel J, Prinz S, Schwab S, Monyer H, Brombacher F, Schwaninger M
J Cereb Blood Flow Metab 2003 Apr; 23(4): 406-415

Assessment of soft tissue lesions suspicious for liposarcoma by F18-deoxyglucose (FDG) positron emission tomography (PET).

Schwarzbach MH, Dimitrakopolous-Strauss A, Mechtersheimer G, Hinz U, Willeke F, Cardona S, **Attigah N**, Strauss LG, Herfarth C, Lehnert T
Anticancer Res 2001 Sept-Oct; 21(5): 3609-3614

[Results of oncological reoperation in primary soft tissue sarcomas]

Schwarzbach M, **Attigah N**, Willeke F, Hinz U, van Kampen M, Mechtersheimer G, Lehnert T, Herfarth C
Der Chirurg 2000 Nov; 71(11): 1359-1364

Clinical value of [18 F] fluorodeoxyglucose positron emission tomography imaging in soft tissue sarcoma.

Schwarzbach MH, Dimitrakopolous-Strauss A, Willeke F, Hinz U, Strauss LG, Zhang YM, Mechtersheimer G, **Attigah N**, Lehnert T, Herfarth C
Ann Surg 2000 Mar; 231(3): 380-386

[Is diabetes an independent risk factor for adverse events after carotid endarterectomy?]

Geisbüsch P, Martin J, Jenetzky E, Hyhlik-Dürr A, Kotelis D, **Attigah N**, Böckler D
Gefässchirurgie 2008 13(4): 244-24820.

Fallbeschreibungen (case reports)

Anomaly of Haughton type D left cervical aortic arch in combination with type B dissection: case report and literature review.

Zientara A, Schwegler I, **Attigah N**, Genoni M, Dzemali O

J Cardiothoracic Surg 2018; 27; 13(1):79 doi: 10.1186/s13019-018-0768-8

A technique for a self-made bifurcated graft with bovine pericard in infectious vascular reconstruction.

Kohler C, **Attigah N**, Demirel S, Weber M, Schwegler I

Journal of Vascular Surgery Cases and Innovative Techniques 2016 (open access article)

[High exposure of the distal internal carotid artery]

Attigah N, Hyhlik-Dürr A, Hakimi M, Allenberg JR, Böckler D

Der Chirurg 2010; 81: 155-159

Intracranial dissection during carotid endarterectomy treated by carotid stenting.

Attigah N, Ganten M, Hyhlik-Dürr A, Kotelis D, Geisbüsch P, Schumacher H, Böckler D

Vasa 2009; 38(1): 81-84

Images in vascular medicine. Multiple arterial aneurysms in the mediastinum.

Kotelis D, Allenberg JR, Richter G, von Tengg-Koblik H, **Attigah N**, Böckler D

Vasc Med 2008; 13(2): 173-174

[Endovascular repair of aspergilloma-induced arrosion bleeding of the subclavian artery].

Attigah N, Herpel E, Kotelis D, Hyhlik-Dürr A, Böckler D

Der Chirurg 2008; 79(10): 984-987

Übersichtsarbeiten (Reviews)

CME zertifizierte Fortbildung-

Strahlenschutz im Operationssaal.

Attigah N, Knoch T, Wortmann M, Wieker C, Geisbüsch P, Böckler D

Gefässchirurgie 2015, 20:321-331

Decision making and techniques in hypogastric artery revascularization.

Geisbüsch P, **Attigah N**, Hyhlik-Dürr A, Hakimi M, Müller-Eschner M, Böckler D

J Cardiovasc Surg (Torino) 2013 Feb; 54 (1 Suppl 1):71-9 Review

[Vascular replacement in abdominal tumor surgery]

Mehrabi A, Houben P, **Attigah N**, Böckler D, Büchler MW, Weitz J

Chirurg 2011, 82: 887-897

[ACST: How a trial can become a dilemma]
Böckler D, **Attigah N**, Hakimi M, Allenberg JR
Gefässchirurgie 2009 14(2): 118-122

Buchbeiträge

Effect of carotid surgery on postoperative hypertension.

Demirel S, **Attigah N**, Böckler D (book chapter)

Book of the 34th consensus update Charing Cross 2012

BIBA publishing ISBN: 978-0-9570419-0-5

Atlas of Upper Gastrointestinal and Hepato-Pancreato-Biliary Surgery

Surgical staplers.

N Attigah, M Schäfer (book chapter)

Herausgeber: Clavien PA, Sarr MG, Fong Y, 2007 Springer Berlin, Heidelberg, New York ISBN: 978-3-540-20004-8

Zürich, den 21.03.2019

